

10. FEJEZET. AZ IDEGRENSZER BETEGSÉGEI

AZ AGYVELŐ BETEGSÉGEI

Acke, E. és mtsai (2004): Tetanus in the dog: review and a case-report of concurrent tetanus with hiatal hernia. *Irish Vet. J.* 57, 593-597.

Adamantos, S. és Boag, A. (2007): Thirteen cases of tetanus in dogs. *Vet. Rec.* 161, 298-302.

Ash, K. és mtsai (2018): Performance evaluation and validation of the animal trauma triage score and modified Glasgow Coma Scale with suggested category adjustment in dogs: A VetCOT registry study. *J. Vet. Emerg. Crit. Care.* 28, 192-200.

Bandt, C. és mtsai (2007): Retrospective study of tetanus in 20 dogs: 1988-2004. *J. Am. Anim. Hosp. Assoc.* 43, 143-148.

Barker, A.K. és mtsai (2013): Tremorgenic mycotoxicosis in dogs. *Compend. Contin. Educ. Vet.* 35, E2.

Berendt, M. és mtsai (2015): International veterinary epilepsy task force consensus report on epilepsy definition, classification and terminology in companion animals. *BMC Vet. Res.* 11, 182. doi: 10.1186/s12917-015-0461-2.

Bernardino, F. és mtsai (2015): Inferior cerebellar hypoplasia resembling a Dandy-Walker-like malformation in purebred Eurasier dogs with familial non-progressive ataxia: a retrospective and prospective clinical cohort study. *PLoS One.* 10, e0117670.

Bhatti, S.F.M. és mtsai (2015): International Veterinary Epilepsy Task Force consensus proposal: medical treatment of canine epilepsy in Europe. *BMC Vet. Res.* 11, 176. doi: 10.1186/s12917-015-0464-z.

Biel, M. és mtsai (2013): Outcome of ventriculoperitoneal shunt implantation for treatment of congenital internal hydrocephalus in dogs and cats: 36 cases (2001-2009). *J. Am. Vet. Med. Assoc.* 242, 948– 958.

Bowen, R.A. és mtsai (2006): Pathogenesis of West Nile virus infection in dogs treated with glucocorticoids. *Am. J. Trop. Med. Hyg.* 74, 670– 673.

Boydell, P. (2000): Idiopathic Horner syndrome in the golden retriever. *J. Neuroophthalmol.* 20, 288-290.

Brauer, C. és mtsai (2012): Electroencephalographic recordings in dogs suffering from idiopathic and symptomatic epilepsy: diagnostic value of interictal short time EEG protocols supplemented by two activation techniques. *Vet. J.* 193, 185-192.

Burkitt, J.M. és mtsai (2007): Risk factors associated with outcome in dogs with tetanus: 38 cases (1987-2005). *J. Am. Vet. Med. Assoc.* 230, 76-83.

Cabassu, J.B. és mtsai (2008): Surgical treatment of a traumatic intracranial epidural haematoma in a dog. *Vet. Comp. Orthop. Traumatol.* 21, 457-461.

Cagnotti, G. és mtsai (2019): Open-label clinical trial of rectally administered levetiracetam as supplemental treatment in dogs with cluster seizures. *J. Vet. Intern. Med.* 33, 1714-1718.

Charalambous, M. és mtsai (2014): Treatment in canine epilepsy – a systematic review. *BMC Vet. Res.* 10, 257. doi: 10.1186/s12917-014-0257-9.

Charalambous, M. és mtsai (2016): Antiepileptic drugs' tolerability and safety – a systematic review and meta-analysis of adverse effects in dogs. *BMC Vet. Res.* 12, 79. doi: 10.1186/s12917-016-0703-y.

Charalambous, M., Pákozdy, Á., Sofie, F., Bhatti, M., Volk, H.A. (2018): Systematic review of antiepileptic drugs' safety and effectiveness in feline epilepsy. *BMC Vet. Res.* 14, 64. doi: 10.1186/s12917-018-1386-3.

Cizinauskas, S. és mtsai (2000): Long-term treatment of dogs with steroid-responsive meningitis-arteritis: clinical, laboratory and therapeutic results. *J. Small Anim. Pract.* 41, 295–301.

Cornelis, I. és mtsai (2019): Clinical presentation, diagnostic findings, prognostic factors, treatment and outcome in dogs with meningoencephalomyelitis of unknown origin: A review. *Vet. J.* 244, 37-44.

De Risio, L. és mtsai (2015): International veterinary epilepsy task force consensus proposal: diagnostic approach to epilepsy in dogs. *BMC Vet. Res.* 11, 148. doi: 10.1186/s12917-015-0462-1.

Demeter, Z., Lakatos, B., Palade, E.A., Kozma, T., Forgách, P., Rusvai, M. (2007): Genetic diversity of Hungarian canine distemper virus strains. *Vet. Microbiol.* 122, 258-269.

Dubey, J.P. és mtsai (1990): Neosporosis in cats. *Vet. Pathol.* 27, 335-339.

Elad, D. és mtsai (2004): Natural *Clostridium botulinum* type C toxicosis in a group of cats. *J. Clin. Microbiol.* 42, 5406– 5408.

Girod, M. és mtsai (2016): Evaluation of the effect of oral omeprazole on canine cerebrospinal fluid production: A pilot study. *Vet. J.* 209, 119-124.

Gorjipour, H. (2019): Hypoallergenic diet may control refractory epilepsy in allergic children: A quasi experimental study. *Sci. Rep.* 9, 6875.

Hasegawa, D., Pakozdy, A., Volk, H.A. (2017): Differentiating structural from idiopathic epilepsy in cats. *Vet. Record* 180, 608-609.

Hazenfratz, M. és Taylor, S.M. (2018a): Recurrent seizures in cats: Diagnostic approach - when is it idiopathic epilepsy? *J. Feline Med. Surg.* 20, 811-823.

Hazenfratz, M. és Taylor, S.M. (2018b): Recurrent seizures in cats: Treatment - which antiepileptic drugs are recommended? *J. Feline Med. Surg.* 20, 821-824.

- Hogasen, H.R. és mtsai (2016): Lead intoxication in dogs: Risk assessment of feeding dogs trimmings of lead-shot game. *BMC Veterinary Research*. 12, 152. doi: 10.1186/s12917-016-0771-z.
- Horváth, Z. és Papp, L. (1969): Adatok a szopornyica járványtanához és klinikumához. *Magy. Állatorvosok Lapja* 24, 279-285.
- Kwiatkowska, M. és mtsai (2018): Clinical risk factors for early seizure recurrence in dogs hospitalized for seizure evaluation. *J. Vet. Intern. Med.* 32, 757-763.
- Lehel, J. (2004): Állati eredetű mérgezések: Irodalmi áttekintés: 4. Halak és kétéltűek okozta mérgezések. *Magy. Állatorvosok Lapja* 126, 176-185.
- Lehel, J. és Vetter, J. (2002): Gyakoribb növényi eredetű mérgezések a kisállatpraxisban. *Magy. Állatorvosok Lapja* 124, 597-606.
- Lehel, J. és Vetter, J. (2005a): Növényi eredetű mérgezések. 1. Szoba- és kerti növények. *Magy. Állatorvosok Lapja* 127, 43-50.
- Lehel, J. és Vetter, J. (2005b): Növényi eredetű mérgezések. 2. Fák-bokrok-cserjék. *Magy. Állatorvosok Lapja* 127, 684-692.
- Linnenbrink, T. és McMichael, M. (2006): Tetanus: pathophysiology, clinical signs, diagnosis, and update on new treatment modalities. *J. Vet. Emerg. Crit. Care*. 16, 199–207.
- Löscher, W. és mtsai (2013): The novel antiepileptic drug imepitoin compares favourably to other GABA-mimetic drugs in a seizure threshold model in mice and dogs. *Pharmacol. Res.* 77, 39-46. doi: 10.1016/j.phrs.2013.09.003.
- Lowrie, M. és Garosi, L. (2015): Canine epileptoid cramping syndrome in border terriers. *Vet. Rec.* 177, 498.
- Lowrie, M. és mtsai (2009): Steroid responsive meningitis-arteritis: a prospective study of potential disease markers, prednisolone treatment, and long-term outcome in 20 dogs (2006-2008). *J. Vet. Intern. Med.* 23, 862– 870.
- Mari, L. és mtsai (2019): Prevalence of congenital sensorineural deafness in a population of client-owned purebred kittens in the United Kingdom. *J. Vet. Intern. Med.* 33, 1707-1713.
- Németh, E., Sterczler, Á., Máthé, Á., Vörös, K., Sztójko, V., Biksi, I. (2003): Botulismus megállapítása három kutyában. *Magy. Állatorvosok Lapja* 125, 608-616.
- Oliphant, B.J. és mtsai (2017): Restrospective study evaluating associations between midline brain shift on magnetic resonance imaging and survival in dogs diagnosed with meningoencephalitis of unknown etiology. *Vet Radiol. Ultrasound*. 58, 38-43.
- Orko, R. és mtsai (1988): Intravenous infusion of midazolam, propofol and vecuronium in a patient with severe tetanus. *Acta Anaesthesiol. Scand.* 32, 590–592.

- Pákozdy, A. és mtsai (2008): Retrospective clinical comparison of idiopathic versus symptomatic epilepsy in 240 dogs with seizures. *Acta Vet. Hung.* 56, 471-483.
- Pákozdy, A., Halasz, P., Klang, A. (2014): Epilepsy in cats: theory and practice. *J. Vet. Intern. Med.* 28, 255-263.
- Pákozdy, Á., Mikscha, R., Jerzsele, Á. (2017): Szájon át adható antiepileptikumok macskák részére: Irodalmi összefoglaló. *Magy. Állatorvosok Lapja* 139, 143-156.
- Pápa, K. és Vörös, K. (2005): Érdekes esetek, tanulságos történetek. Tetanus macskában. *Kisállatpraxis*, 6, 104–110.
- Pápa, K., Vörös, K., Papp, L., Fenyves B., Németh, T. (2003): A tetanus előfordulása, klinikuma és gyógykezelése - tapasztalatok 50 kutya esete kapcsán. *Magy. Állatorvosok Lapja* 125, 303-313.
- Pfeffer, M. és Dobbler, G. (2011): Tick-borne encephalitis virus in dogs - is this an issue? *Parasites & Vectors* 4, 59. doi: 10.1186/1756-3305-4-59.
- Platt, S.R. és mtsai (2001): The prognostic value of the modified Glasgow Coma Scale in head trauma in dogs. *J. Vet. Intern. Med.* 15, 581-584.
- Podell, M. és mtsai (2016): 2015 ACVIM Small Animal Consensus Statement on Seizure Management in Dogs. *J. Vet. Intern. Med.* 30, 477-490.
- Potschka, H. (2015): International veterinary epilepsy task force consensus proposal: outcome of therapeutic interventions in canine and feline epilepsy. *BMC Vet. Res.* 11, 177.
- Rose, J.H. és Harcourt-Brown, T.R. (2013): Screening diagnostics to identify triggers in 21 cases of steroid-responsive meningitis-arteritis. *J. Small Anim. Pract.* 54, 575– 578.
- Simmonds, E.E. és mtsai (2011): Magnesium sulfate as an adjunct therapy in the management of severe generalized tetanus in a dog. *J. Vet. Emerg. Crit. Care.* 21, 542-546.
- Simpson, K.M. és mtsai (2015): Neuropharmacological lesion localization in idiopathic Horner's syndrome in Golden Retrievers and dogs of other breeds. *Vet. Ophthalmol.* 18, 1-5.
- Snyder, J.M. és mtsai (2006): Canine intracranial primary neoplasia: 173 cases (1986-2003). *J. Vet. Intern. Med.* 20, 669-675.
- Sterczer, Á., Vörös, K., Papp, L., Bozsó, M. (1994): A kutyák Aujeszky-betegségének klinikumáról. *Magy. Állatorvosok Lapja* 49, 121-124.
- Sterczer, Á., Vörös, K., Wladár, S., Bozsó, M. (1998): Cardiological consequences of pseudorabies in a dog. *Canine Practice.* 23, 12-13.
- Talarico, L.R. és Schatzberg, S.J. (2010): Idiopathic granulomatous and necrotising inflammatory disorders of the canine central nervous system: a review and future perspectives. *J. Small Anim. Pract.* 51, 138– 149.

Thomas, W.B. (2010): Hydrocephalus in dogs and cats. *Vet. Clin. North Am. Small Anim. Pract.* 40, 143-159.

Thomson, S.M. és mtsai (2014): Intra-operative hyperthermia in a cat with a fatal outcome. *Vet. Anaesth. Analg.* 41, 290-296.

Troxel, M.T. és mtsai (2001): Feline intracranial neoplasia: retrospective review of 160 cases. *J. Vet. Intern. Med.* 17, 850-859.

Urkasemsin, G. és Olby, N.J. (2015): Clinical characteristics of Scottie cramp in 31 cases. *J. Small Anim. Pract.* 56, 276-280.

Vandenberghe, H. és mtsai (2018): Juvenile-onset polyneuropathy in American Staffordshire Terriers. *J. Vet. Intern. Med.* 32, 2003-2012.

Vermeersch, K. és mtsai (2004): Suboccipital craniectomy, dorsal laminectomy of C1, durotomy and dural graft placement as a treatment for syringohydromyelia with cerebellar tonsil herniation in Cavalier King Charles spaniels. *Vet. Surg.* 33, 355-360.

Vörös, K. (1995): Érdekes esetek, tanulságos történetek. Veszett macska az erdőszélről. *Kisállatorvoslás.* 2, 238-242.

Vörös, K., Csébi, P. (2004): Érdekes esetek, tanulságos történetek. Súlyos koponya- és agyvelősérülés foxterrierben. *Kisállatpraxis,* 5, 192-199.

Vörös, K., Pápa, K. (2005): Érdekes esetek, tanulságos történetek. Tetanus macskában. *Kisállatpraxis,* 6, 104-110.

Webb, A.A. és mtsai (2002): Steroid-responsive meningitis-arteritis in dogs with noninfectious, nonerosive, idiopathic, immune-mediated polyarthritis. *J. Vet. Intern. Med.* 16, 269– 273.

Wilson, W.J. és Mills, P.C. (2005): Brainstem auditory-evoked response in dogs. *Am. J. Vet. Res.* 66, 2177-2187.

A GERINCVELŐ BETEGSÉGEI

Burkert, B.A. és mtsai (2005): Signalment and clinical features of discospondylitis in dogs: 513 cases (1980-2001). *J. Am. Vet. Med. Assoc.* 227, 268– 275.

De Decker, S. és Fenn, J. (2018): Acute herniation of nondegenerate nucleus pulposus: acute noncompressive nucleus pulposus extrusion and compressive hydrated nucleus pulposus extrusion. *Vet. Clin. North Am. Small Anim. Pract.* 48, 95-109.

De Decker, S. és mtsai (2009): Clinical evaluation of 51 dogs treated conservatively for disc-associated wobbler syndrome. *J. Small Anim. Pract.* 50, 136-142.

- De Decker, S. és mtsai (2017): Prevalence and breed predisposition for thoracolumbar intervertebral disc disease in cats. *J. Feline Med. Surg.* 19, 419-423.
- De Risio, L. (2015): A review of fibrocartilaginous embolic myelopathy and different types of peracute non-compressive intervertebral disk extrusions in dogs and cats. *Front. Vet. Sci.* 2, 24.
- De Risio, L. és Platt, S.R. (2010): Fibrocartilaginous embolic myelopathy in small animals. *Vet. Clin. North Am. Small Anim. Pract.* 40, 859-869.
- DiFazio, J. és Fletcher, D.J. (2013): Updates in the management of the small animal patient with neurologic trauma. *Vet. Clin. North Am. Small Anim. Pract.* 43, 915-940.
- Ekenstedt, K.J. és mtsai (2014): An ARHGEF10 deletion is highly associated with a juvenile-onset inherited polyneuropathy in Leonberger and Saint Bernard dogs. *PLoS Genet.* 10, e1004635.
- Eminaga, S. és mtsai (2011): Acute spinal cord injury in the cat: causes, treatment and prognosis. *J. Feline Med. Surg.* 13, 850-862.
- Fernandes, R. és mtsai (2019): Cervical vertebral malformations in 9 dogs: radiological findings, treatment options and outcomes. *Ir. Vet. J.* 72, 2.
- Frank, L.R. és Roynard, P.F.P. (2018): Veterinary Neurologic rehabilitation: The rationale for a comprehensive approach. *Top. Companion Anim. Med.* 33, 49-57.
- Galeiras Vázquez, R. és mtsai (2017): Update on traumatic acute spinal cord injury. Part 1. /angol és spanyol nyelven/ *Med. Intensiva* 41, 237-247.
- Granger, N. (2011): Canine inherited motor and sensory neuropathies: an updated classification in 22 breeds and comparison to Charcot-Marie-Tooth disease. *Vet. J.* 188, 274-285.
- Granger, N. és Carwardine, D. (2014): Acute spinal cord injury: tetraplegia and paraplegia in small animals. *Vet. Clin. North Am. Small Anim. Pract.* 44, 1131-1156.
- Herndon, A.M. és mtsai (2018): Diagnosis and treatment of lower motor neuron disease in Australian dogs and cats. *J. Vet. Med.* 2018, 1018230. doi: 10.1155/2018/1018230
- Jeffery, N.D. és McKee, W.M. (2001): Surgery for disc-associated wobbler syndrome in the dog- an examination of the controversy. *J. Small Anim. Pract.* 42, 574-581.
- Jeffery, N.D. és mtsai (2013): Intervertebral disk degeneration in dogs: consequences, diagnosis, treatment, and future directions. *J. Vet. Intern. Med.* 27, 1318– 1333.
- Levine, G.J. és mtsai (2009): Description and repeatability of a newly developed spinal cord injury scale for dogs. *Prev. Vet. Med.* 89, 121–127.
- Lipsitz, D. (2017): The latest on steroids and spinal cord injury. Posted on 2017-03-21 in Neurology

Lipsitz, D. és mtsai (2017): The latest on steroids and spinal cord injury Posted on 2017-03-21 in Neurology.

Mazzaccari, K. és mtsai (2017): Video-assisted microwave ablation for the treatment of a metastatic lung lesion in a dog with appendicular osteosarcoma and hypertrophic osteopathy. *Vet. Surg.* 46, 1161-1165.

Nakamoto, Y. és mtsai (2009): Fibrocartilaginous embolism of the spinal cord diagnosed by characteristic clinical findings and magnetic resonance imaging in 26 dogs. *J. Vet. Med. Sci.* 71, 171-176.

Olby, N.J. (2016): A placebo-controlled, prospective, randomized clinical trial of polyethylene glycol and methylprednisolone sodium succinate in dogs with intervertebral disk herniation. *J. Vet. Intern. Med.* 30, 206-214.

Parry, A.T. és mtsai (2010): Computed tomography variations in morphology of the canine atlas in dogs with and without atlantoaxial subluxation. *Vet. Radiol. Ultrasound.* 51, 596-600.

Royaux, E. (2016): Detection of compressive hydrated nucleus pulposus extrusion in dogs with multislice computed tomography. *Vet. J.* 216, 202-206.

Schulman, F.Y. és mtsai (2009): Feline peripheral nerve sheath tumors: histologic, immunohistochemical, and clinicopathologic correlation (59 tumors in 53 cats). *Vet. Pathol.* 46, 1166-1180.

Solano, M.A. és mtsai (2015): Cervical distraction-stabilization using an intervertebral spacer screw and String-of-Pearl (SOP™) plates in 16 dogs with disc-associated wobbler syndrome. *Vet. Surg.* 44, 627-641.

Stalin, C. és mtsai (2015): A review of canine atlantoaxial joint subluxation. *Vet. Comp. Orthop. Traumatol.* 28, 1-8.

Takagi, S. és mtsai (2005): Hindbrain decompression in a dog with scoliosis associated with syringomyelia. *J. Am. Vet. Med. Assoc.* 226, 1359-1363.

Talbott, J.L. és mtsai (2017): Retrospective evaluation of whole body computed tomography for tumor staging in dogs with primary appendicular osteosarcoma. *Vet. Surg.* 46, 75-80.

Tipold, A. és Stein, V.M. (2010): Inflammatory diseases of the spine in small animals. *Vet. Clin. North Am. Small Anim. Pract.* 40, 871– 879.

Vermeersch, K. és mtsai (2004): Suboccipital craniectomy, dorsal laminectomy of C1, durotomy and dural graft placement as a treatment for syringohydromyelia with cerebellar tonsil herniation in Cavalier King Charles spaniels. *Vet. Surg.* 33, 355-360.

Wijnrocx, K. (2017): Twelve years of Chiari-like malformation and syringomyelia scanning in Cavalier King Charles Spaniels in the Netherlands: Towards a more precise phenotype. *PLoS One.* 12, e0184893.

Wolfe, K.C. és Poma, R. (2010): Syringomyelia in the Cavalier King Charles Spaniel (CKCS) dog. *Can. Vet. J.* 51, 95-102.

IMMUNEREDETŰ NEUROMUSCULARIS KÓRKÉPEK ÉS MYOSITISEK

Binks, S. és mtsai (2016): Myasthenia gravis: a clinical-immunological update. *J. Neurol.* 263, 826–834.

Cauduro, A. (2013): Use of MRI for the early diagnosis of masticatory muscle myositis. *J. Am. Anim. Hosp. Assoc.* 49, 347-352.

Chang, R.C. és mtsai (2019): Protein disulphide isomerase is associated with mutant SOD1 in canine degenerative myelopathy. *Neuroreport* 30, 8-13.

Crisp, M.J. és mtsai (2013): Canine degenerative myelopathy: biochemical characterization of superoxide dismutase 1 in the first naturally occurring non-human amyotrophic lateral sclerosis model. *Exp. Neurol.* 248, 1-9.

Dewey, C.W. és mtsai (2010): Mycophenolate mofetil treatment in dogs with serologically diagnosed acquired myasthenia gravis: 27 cases (1999-2008). *J. Am. Vet. Med. Assoc.* 236, 664-668.

Dissanayake, D.R.A. és mtsai (2016): The diagnosis and treatment of acquired myasthenia gravis in two adult dogs using oral neostigmine bromide. *S. L. Vet. J.* 63, 27-31. DOI: 10.4038/slvj.v63i1.5

Evans, J. és mtsai (2004): Canine inflammatory myopathies: a clinicopathologic review of 200 cases. *J. Vet. Intern. Med.* 18, 679-691.

Grobman és mtsai (2017): Pharmacokinetics and dynamics of mycophenolate mofetil after single-dose oral administration in juvenile dachshunds. *J Vet Pharmacol Ther.* 0(6) :e1-e10. doi: 10.1111/jvp.12420.

Howard Jr., J.F. és mtsai(2013): Electrodiagnosis of disorders of neuromuscular transmission. *Phys. Med. Rehabil. Clin. N. Am.* 24, 169–192.

Mayousse, V. (2017): Evaluation of coexisting polymyositis in feline myasthenia gravis: A case series. *Neuromuscul. Disord.* 27, 804-815.

Pitcher, G.D. és Hahn, C.N. (2007): Atypical masticatory muscle myositis in three Cavalier King Charles spaniel littermates. *J. Small Anim. Pract.* 48, 226-228.

Podell, M. (2002): Inflammatory myopathies. *Vet. Clin. North Am. Small Anim. Pract.* 32, 147-167.

Tauro, A. (2015): Clinical features of idiopathic inflammatory polymyopathy in the Hungarian Vizsla. *BMC Vet. Res.* 11, 97.

Troxel, M.T. (2009): Infectious neuromuscular diseases of dogs and cats. *Top. Companion Anim. Med.* 24, 209-220.

Utsugi, S. és mtsai (2014): Resolution of polyneuropathy in a hypothyroid dog following thyroid supplementation. *J. Am. Anim. Hosp. Assoc.* 50, 345-349.

Wolfe, G.I. és mtsai (2016): Randomized trial of thymectomy in myasthenia gravis. *N. Engl. J. Med.* 375, 511-522.