

12. FEJEZET. A BŐR BETEGSÉGEI

ÁLTALÁNOS ISMERETEK

Archer, T.M. és mtsai (2014): Oral cyclosporine treatment in dogs: A review of the literature. *J. Vet. Intern. Med.* 28, 1–20.

Chung, T.H. és mtsai (2009): Topical tacrolimus (FK506) for the treatment of feline idiopathic facial dermatitis. *Aust. Vet. J.* 87, 417-420.

Furue, M. és mtsai (2018): Emerging role of interleukin-31 and interleukin-31 receptor in pruritus in atopic dermatitis. *Allergy.* 73, 29-36.

Gonzales, A.J. és mtsai (2016): IL-31-induced pruritus in dogs: a novel experimental model to evaluate anti-pruritic effects of canine therapeutics. *Vet. Dermatol.* 27, 34–e10.

Tarpataki N. (2007): A kutyák atópiás dermatitisének jellemzői, kórjelzésének és gyógykezelésének fejlesztése. PhD-értekezés, SZIE, Állatorvos-tudományi kar, Budapest.

Welle, M.M., Wiener, D.J. (2016): The Hair Follicle: A comparative review of canine hair follicle anatomy and physiology. *Toxicol. Pathol.* 44, 564-577.

VELESZÜLETETT BŐRBETEGSÉGEK, ENDOKRIN EREDETŰ BŐRELVÁLTOZÁSOK

Brunner, M.A.T. és mtsai (2017): Novel insights into the pathways regulating the canine hair cycle and their deregulation in alopecia X. *PLoS One.* 12, e0186469.

Cerundolo, R. (2009): Canine alopecia X. *Companion Anim.* 14, 47-52.

Kim, J.H. és mtsai (2005): Color-dilution alopecia in dogs. *J. Vet. Sci.* 6, 259-261.

Mauldin, E.A. (2013): Canine ichthyosis and related disorders of cornification in small animals. *Vet. Clin. North Am. Small Anim. Pract.* 43, 89–97.

Müntener, T. és mtsai (2012): Canine noninflammatory alopecia: a comprehensive evaluation of common and distinguishing histological characteristics. *Vet. Dermatol.* 23, 206–e44.

Paciello, O. és mtsai (2003): Ehlers-Danlos-like syndrome in 2 dogs: clinical, histologic, and ultrastructural findings. *Vet. Clin. Pathol.* 32, 13-18.

Uri, M. és mtsai (2015): Ehlers-Danlos syndrome associated with fatal spontaneous vascular rupture in a dog. *J. Comp. Pathol.* 152, 211-216.

NORMERGIÁS BÓRGYULLADÁSOK, GENNYES BÓRGYULLADÁSOK

Bloom, P. (2007): Idiopathic pododermatitis in the dog: an uncommon but frustrating disease. *Vet. J.* 176, 123-124.

Bloom, P. (2014): Canine superficial bacterial folliculitis: current understanding of its etiology, diagnosis and treatment. *Vet. J.* 199, 217-222.

Chermrapai, S. és mtsai (2019): The bacterial and fungal microbiome of the skin of healthy dogs and dogs with atopic dermatitis and the impact of topical antimicrobial therapy, an exploratory study. *Vet. Microbiol.* 229, 90-99.

Filgueira, K. (2017): Canine juvenile cellulitis: A retrospective study (2009-2016). *Braz. J. Vet. Res. An. Sci.* 54, 407-411.

Frank, D. (2013): Repetitive behaviors in cats and dogs: are they really a sign of obsessive-compulsive disorders (OCD)? *Can. Vet. J.* 54, 129-131.

Gortel, K. (2013): Recognizing pyoderma: more difficult than it may seem. *Vet. Clin. North Am. Small Anim. Pract.* 43, 1-18.

Hillier, A. és mtsai (2014): Guidelines for the diagnosis and antimicrobial therapy of canine superficial bacterial folliculitis (Antimicrobial Guidelines Working Group of the International Society for Companion Animal Infectious Diseases). *Vet. Dermatol.* 25, 163–e43.

Loeffler, A. és Lloyd, D.H. (2018): What has changed in canine pyoderma? A narrative review. *Vet. J.* 235, 73-82.

Rosser Jr, E.J. (1997): German shepherd dog pyoderma: a prospective study of 12 dogs. *J. Am. Anim. Hosp. Assoc.* 33, 355-363.

Tizard, I.R. és Jones, S.W. (2017): The microbiota regulates immunity and immunologic diseases in dogs and cats. *Vet. Clin. North Am. Small Anim. Pract.* 48, 307-322.

Waisglass, S.E. és mtsai (2006): Underlying medical conditions in cats with presumptive psychogenic alopecia. *J. Am. Vet. Med. Assoc.* 228, 1705-1709.

ALLERGIÁS BŐRBETEGSÉGEK

Bajwa, J. (2018): Atopic dermatitis in cats. *Can. Vet. J.* 59, 311–313.

Bizikova, P. és Burrows, A. (2019): Feline pemphigus foliaceus: original case series and a comprehensive literature review. *BMC Vet. Res.* 15, 22.

Breen, P.T. (1972): Nasal solar dermatitis. *Vet. Med. Small Anim. Clin.* 67, 652-653.

DeBoer, D.J. és mtsai (2016): Clinical and immunological responses of dust mite sensitive, atopic dogs to treatment with sublingual immunotherapy (SLIT). *Vet. Dermatol.* 27, 82-87.

Diesel, A. (2017): Cutaneous hypersensitivity dermatoses in the feline patient: A review of allergic skin disease in cats. *Vet. Sci.* 4, E25.

Favrot, C. (2013): Feline non-flea induced hypersensitivity dermatitis: clinical features, diagnosis and treatment. *J. Feline Med. Surg.* 15, 778-784.

Favrot, C. és mtsai (2010): A prospective study on the clinical features of chronic canine atopic dermatitis and its diagnosis. *Vet. Dermatol.* 21, 23–31.

Favrot, C. és mtsai (2012): Establishment of diagnostic criteria for feline nonflea-induced hypersensitivity dermatitis. *Vet. Dermatol.* 23, 45-50, e11.

Hensel, P. és mtsai (2015): Canine atopic dermatitis: detailed guidelines for diagnosis and allergen identification. *BMC Vet. Res.* 11, 196.

Hoffmann, R.A. és mtsai (2014): The skin microbiome in healthy and allergic dogs. *PLoS One.* 9, e83197.

Marsella, R. (2012): An update on the treatment of canine atopic dermatitis. *Vet. Med. (Auckl).* 3, 85-91.

Marsella, R. és mtsai (2011): Current evidence of skin barrier dysfunction in human and canine atopic dermatitis. *Vet. Med.* 22, 239-248.

Mueller, R.S. és Olivry, T. (2017): Critically appraised topic on adverse food reactions of companion animals (4): can we diagnose adverse food reactions in dogs and cats with in vivo or in vitro tests? *BMC Vet. Res.* 13, 275.

Olivry, T. és mtsai (1990): Allergic contact dermatitis in the dog principles and diagnosis. *Vet. Clin. North Am. Small Anim. Pract.* 20, 1443-1456.

Olivry, T. és mtsai (2015): Treatment of canine atopic dermatitis: 2015 updated guidelines from the International Committee on Allergic Diseases of Animals (ICADA). *BMC Vet. Res.* 11, 210.

Ravens, P.A. és mtsai (2014): Feline atopic dermatitis: a retrospective study of 45 cases (2001-2012). *Vet. Dermatol.* 25, 95-102, e27-8.

White, S.D. és mtsai (2001): Zinc-responsive dermatosis in dogs: 41 cases and literature review. *Vet. Dermatol.* 12, 101-109.

GOMBÁS BŐRBETEGSÉGEK

Åberg, L. és mtsai (2017): Results of allergen-specific immunotherapy in atopic dogs with *Malassezia* hypersensitivity: a retrospective study of 16 cases. *Vet. Dermatol.* 28, 633-e157.

Crosaz, O. és mtsai (2013): Generalized dermatitis associated with *Malassezia* overgrowth in cats: A report of six cases in France. *Med. Mycol. Case Rep.* 2, 59–62.

Moriello, K.A. és mtsai (2017): Diagnosis and treatment of dermatophytosis in dogs and cats. Clinical consensus guidelines of the World Association for Veterinary Dermatology. Vet. Derm. 28, 266-e682.

Morris, D.O. (2005): *Malassezia pachydermatis* carriage in dog owners. Emerg. Infect. Dis. 11, 83-88.

PARAZITÁS BŐRBETEGSÉGEK

ESCCAP Guidelines 05. (2012): Control of vector-borne diseases in dogs and cats. Second Edition

https://www.esccap.org/uploads/docs/znkh6j1d_0775_ESCCAP_Guideline_GL5_v8_1p.pdf
Utolsó hozzáférés: 2019. szept. 15.

Fok, É., Jacsó, O., Szebeni, Z., Gyorffy, A., Sükösd, L., Lukács, Z., Schaper, R. (2010): Elimination of *Dirofilaria* (syn. *Nochtiella*) *repens* microfilariae in dogs with monthly treatments of moxidectin 2.5%/imidacloprid 10% (Advocate, Bayer) spot-on. Parasitol. Res. 106, 1141-1149.

Jacsó, O. (2014): A *Dirofilaria*-fajok hazai elterjedtsége és állatgyógyászati jelentősége, a gyógykezelés tapasztalatai. PhD értekezés. SZIE Állatorvos-tudományi Doktori Iskola, Budapest.

Jacsó, O., Fok, É., Kiss, G., Kökény, G., Lang, Z. (2010): Preliminary findings on the efficacy of selamectin in the treatment of dogs naturally infected with *Dirofilaria repens*. *Acta Vet. Hung.* 58, 405-12.

Joekel, D.E. és mtsai (2017): Specific antibody detection in dogs with filarial infections. Parasitol. Res. 116, S81-S90.

Manzocchi, S. és mtsai (2017): Nodular presentation of *Dirofilaria repens* infection in a cat mimicking a fibrosarcoma. Vet. Clin. Pathol. 46, 158-163.

Mueller, R.S. és mtsai (2012): Treatment of demodicosis in dogs: 2011 clinical practice guidelines. Vet. Dermatol. 23, 86-96.

Ordeix, L. és mtsai (2009): *Demodex injai* infestation and dorsal greasy skin and hair in eight wirehaired fox terrier dogs. Vet. Dermatol. 20, 267-272.

Petri és mtsai (2015): Evaluation of the adulticidal efficacy of imidacloprid 10 %/moxidectin 2.5 % (w/v) spot-on (*Advocate*[®], *Advantage*[®] *Multi*) against *Dirofilaria repens* in experimentally infected dogs. Parasitol. Res. 114, (Suppl 1) S1 –S1.

Reynolds, H.H. és Elston, D.M. (2017): What's eating you? Cheyletiella mites. *Cutis.* 99, 335;336;355.

Saari, S.A. és mtsai (2009): Demodex gatoi-associated contagious pruritic dermatosis in cats--a report from six households in Finland. Acta Vet. Scand. 51, 40.

Taenzler, J. és mtsai (2016): Efficacy of fluralaner administered either orally or topically for the treatment of naturally acquired Sarcoptes scabiei var. canis infestation in dogs. Parasit. Vectors. 9, 392.

Taenzler, J. és mtsai (2017): Efficacy of fluralaner against Otodectes cynotis infestations in dogs and cats. Parasit. Vectors. 10, 30.

Tarello, (2011): Clinical aspects of dermatitis associated with *Dirofilaria repens* in pets: A review of 100 canine and 31 feline cases (1990-2010) and a report of a new clinic case imported from Italy to Dubai. J. Parasitol. Res. 578385. DOI: 10.1155/2011/578385.

A BŐRT ÉS MÁŠ SZERVEKET EGYÜTT ÉRINTŐ KÓRFORMÁK, A BŐR DAGANATOS BETEGSÉGEI

Banovic, F. és mtsai (2015): Clinical and microscopic characteristics of canine toxic epidermal necrolysis. Vet. Pathol. 52, 321-330.

Basso, M.A. és mtsai (2016): Successful treatment of feline leishmaniosis using a combination of allopurinol and N-methyl-glucamine antimoniate. JFMS Open Rep. 2, 2055116916630002.

Farkas, R., Tánzos, B., Bongiorno, G., Maroli, M., Dereure, J., Ready, P.D. (2011): First surveys to investigate the presence of canine leishmaniasis and its phlebotomine vectors in Hungary. Vector Borne Zoonotic Dis. 11, 823-834.

Francino, O. és mtsai (2006): Advantages of real-time PCR assay for diagnosis and monitoring of canine leishmaniosis. Vet. Parasitol. 137, 214-221.

Gershwin, L.J. (2017): Current and newly emerging autoimmune diseases. Vet. Clin. North Am. Small Anim. Pract. 48, 323-338.

Gómez-Ochoa, P. és mtsai (2009): Use of domperidone in the treatment of canine visceral leishmaniasis: a clinical trial. Vet. J. 179, 259-263.

Hall-Fonte, D.L. és mtsai (2016): Hepatocutaneous syndrome in Shih Tzus: 31 cases (1996-2014). J. Am. Vet. Med. Assoc. 248, 802-813.

Kiupel, M. és mtsai (2011): Proposal of a 2-tier histologic grading system for canine cutaneous mast cell tumors to more accurately predict biological behavior. Vet. Pathol. 48, 147-155.

Loftus, J.P. és mtsai (2017): Characterization of aminoaciduria and hypoaminoacidemia in dogs with hepatocutaneous syndrome. Am. J. Vet. Res. 78, 735-744.

Outerbridge, C.A. és mtsai (2002): Plasma amino acid concentrations in 36 dogs with histologically confirmed superficial necrolytic dermatitis. Vet. Dermatol. 13, 177-186.

Pennisi, M.G. és mtsai (2015): LeishVet update and recommendations on feline leishmaniosis. *Parasit. Vectors.* 8, 302.

Stefanello, D. és mtsai (2015): Comparison of 2- and 3-category histologic grading systems for predicting the presence of metastasis at the time of initial evaluation in dogs with cutaneous mast cell tumors: 386 cases (2009-2014). *J. Am. Vet. Med. Assoc.* 246, 765-769.

Tánczos, B., Balogh, N., Király, L., Biksi, I., Szeredi, L., Gyurkovsky, M., Scalone, A., Fiorentino, E., Gramiccia, M., Farkas, R. (2012): First record of autochthonous canine leishmaniasis in Hungary. *Vector Borne Zoonotic Dis.* 12, 588-594.

Travi, B.L. és mtsai (2018): Canine visceral leishmaniasis: Diagnosis and management of the reservoir living among us. *PLoS Negl. Trop. Dis.* 12, e0006082.