

# 1. FEJEZET. AZ EMÉSZTŐSZERVEK BETEGSÉGEI

## ÁLTALÁNOS ISMERETEK

Barry, K.S. és mtsai (2017): Diagnostic usefulness of laparoscopy versus exploratory laparotomy for dogs with suspected gastrointestinal obstruction. *J. Am. Vet. Med. Assoc.* 251, 307-314.

Bazelle, J. és mtsai (2018): Gastroprotectants in small animal veterinary practice - a review of the evidence. Part 1: cyto-protective drugs. *J. Small Anim. Pract.* doi: 10.1111/jsap.12867. [Epub ahead of print]

Caceres, A.V. és mtsai (2006): Helical computed tomographic angiography of the normal canine pancreas. *Vet. Radiol. Ultrasound* 47, 270–278.

Daure, E. (2017): Gastroduodenal ulceration in small animals: Part 2. Proton pump inhibitors and histamine-2 receptor antagonists. *J. Am. Anim. Hosp. Assoc.* 53, 11–23.

Daure, E. és mtsai (2017): Gastroduodenal ulceration in small animals: part 1. pathophysiology and epidemiology. *J. Am. Anim. Hosp. Assoc.* 53, 1–10.

Davignon, D.L. és mtsai (2016): Evaluation of capsule endoscopy to detect mucosal lesions associated with gastrointestinal bleeding in dogs. *J. Small Anim. Pract.* 57, 148-158.

Galvao, De Brito, J.F. és Trepainer, L.A. (2008): Risk of hemolytic anemia with intravenous administration of famotidine to hospitalized cats. *J Vet. Intern. Med.* 22. 325-329.

Gavin, P.R. és Holmes, S.P. (2009): Magnetic resonance imaging of abdominal disease. In Gavin PR, Bagley RS, editors: *Practical Small Animal MRI*, Ames, IA, Wiley-Blackwell, pp. 273–294.

Glowaski, M.M. és mtsai (2003): Effects of oxypolygelatin and dextran 70 on hemostatic variables in dogs. *Vet. Anaesth. Analg.* 30, 202-210.

Heilmann, R.M. és Steiner, J.M. (2018): Clinical utility of currently available biomarkers in inflammatory enteropathies of dogs. *J. Vet. Intern. Med.* 32, 1495-1508.

Jergens, A.E. és mtsai (2009): Fluorescence in situ hybridization confirms clearance of visible *Helicobacter* spp. associated with gastritis in dogs and cats. *J. Vet. Intern. Med.* 23, 16-23.

Lecoindre, P. és Gaschen, F.P. (2011): Chronic idiopathic large bowel diarrhea in the dog. *Vet. Clin. North. Am. Small Anim. Pract.* 41, 447-456.

Manczur, F. és Vörös, K. (2000): Gastrointestinal ultrasonography of the dog: A review of 265 cases (1996-1998). *Acta Vet. Hung.*, 48. 9-21.

Marks, S.L. és mtsai (2018): ACVIM consensus statement: Support for rational administration of gastrointestinal protectants to dogs and cats. *J. Vet. Intern. Med.* 1–18.

McClaran, J.K. és Buote, N.J. (2009): Complications and need for conversion to laparotomy in small animals. *Vet. Clin. North Am. Small Anim. Pract.* 39, 941-951.

McClaran, J.K. és mtsai (2017): Comparison of laparoscopic-assisted technique and open laparotomy for gastrointestinal biopsy in cats. *Vet. Surg.* 46, 821-828.

Newell, S.M. és mtsai (2000): Quantitative magnetic resonance imaging of the normal feline cranial abdomen. *Vet. Radiol. Ultrasound* 41, 27–34.

Rivero, M.A, és mtsai (2009): CT-soft tissue window of the cranial abdomen in clinically normal dogs: an anatomical description using macroscopic cross-sections with vascular injection. *Anat. Histol. Embryol.* 38, 18–22.

Robertson, I.D. és Burbidge, H.M. (2000): Pros and cons of barium-impregnated polyethylene spheres in gastrointestinal disease. *Vet. Clin. North. Am. Small Anim. Pract.* 30, 449-465.

Samii, V.F. és mtsai (1999): Magnetic resonance imaging of the normal feline abdomen: an anatomic reference. *Vet. Radiol. Ultrasound* 40, 486–490.

Schaer, M. (2005): Fluid Therapy for Critically Ill Dogs and Cats. WSAVA WCP, <https://www.vin.com/apputil/content/defaultadv1.aspx?meta=Generic&pId=11196&id=3854241> Utolsó hozzáférés: 2019. szept. 12.

Shamsudhin, N. és mtsai (2017): Magnetically guided capsule endoscopy. *Med. Phys.* 44, e91-e111.

Teixeira, M. és mtsai (2009): Helical computed tomographic anatomy of the canine abdomen. *Vet. J.* 174, 133–138.

## **AZ EMÉSZTÉST ELŐKÉSZÍTŐ SZERVEK BETEGSÉGEI**

Alcoverro, E. és mtsai (2015): Phenobarbital-responsive sialadenosis in dogs: case series. *Top Comp. Anim. Med.* 29, 109-12.

Austin, C.M, és mtsai (2013): The efficacy of a topically applied imidacloprid 10% / moxidectin 2.5% formulation (Advocate®, Advantage® Multi, Bayer) against immature and adult *Spirocerca lupi* worms in experimentally infected dogs. *Parasitol. Res.* 112, 91–108.

Bellows, J. (2016): External tooth resorption in cats: Part 1: Pathogenesis, classification, & diagnosis. *Today's Veterinary Practice* [tvjournal.com](http://tvjournal.com); [https://todaysveterinarypractice.com/wp-content/uploads/sites/4/2016/05/TVP\\_2016-0102\\_Feline-Tooth-Resorption-Pt1.pdf](https://todaysveterinarypractice.com/wp-content/uploads/sites/4/2016/05/TVP_2016-0102_Feline-Tooth-Resorption-Pt1.pdf) Utolsó hozzáférés: 2019. szept. 12.

Bellows, J. (2016): External tooth resorption in cats: Part 2: therapeutic approaches. *Today's Veterinary Practice* [tvjournal.com](http://tvjournal.com); [https://todaysveterinarypractice.com/wp-content/uploads/sites/4/2016/05/2016-0304\\_Feline-Tooth-Resorption.pdf](https://todaysveterinarypractice.com/wp-content/uploads/sites/4/2016/05/2016-0304_Feline-Tooth-Resorption.pdf) Utolsó hozzáférés: 2019. szept. 12.

- Benjamino, K.P. és mtsai (2012): Pharyngeal mucoceles in dogs: 14 cases. *J. Am. Anim. Hosp. Assoc.* 48, 31-35.
- Berning, J.A. és mtsai (2018): Diagnostic imaging in veterinary dental practice. *J. Am. Vet. Med. Assoc.* 252, 49-51.
- Blazejewski, S.W. és Shelton, G.D. (2018): Trismus, masticatory myositis and antibodies against type 2M fibers in a mixed breed cat. *JFMS Open Rep.* 4 :2055116918764993. doi: 10.1177/2055116918764993.
- Bonfanti, U. és mtsai (2015): Diagnostic value of cytological analysis of tumours and tumour-like lesions of the oral cavity in dogs and cats: A prospective study on 114 cases. *Vet. J.* 205, 322–327.
- Buckley, L. és Nuttall, T. (2012): Feline eosinophilic granuloma complex(ities): some clinical clarification. *J. Feline Med. Surg.* 14, 471-81.
- Dokuzeylul, B. (2016): Prevalence of systemic disorders in cats with oral lesions. *Veterinari Medicina*, 61, 219–223.
- Gorrel, C. (2015): Tooth resorption in cats. Pathophysiology and treatment options. *J. Feline Med. Surg.* 17, 37–43.
- Greenfield, B. (2017): Chronic feline gingivostomatitis: proven therapeutic approaches & new treatment options. *Today's Vet. Pract.* 7, 26-38.
- Haines, J.M. (2018): Survey of owners on population characteristics, diagnosis, and environmental, health, and disease associations in dogs with megaesophagus. *Res. Vet. Sci.* 123, 1-6.
- Hirota, M. és mtsai (2018): Evaluation of the efficacy of the subcutaneous low recombinant feline interferon-omega administration protocol for feline chronic gingivitis-stomatitis in feline calicivirus-positive cats. *Res. Vet. Sci.* 121, 53-58.
- Hitoshi N. és mtsai (2019): Prevalence of microorganisms associated with feline gingivostomatitis.
- Hull, N.C. és mtsai (2015): Canine dysautonomia in a litter of Havanese puppies. *J. Vet. Diagn. Invest.* 27, 627-31.
- Jennings, M.W. és mtsai (2015): Effect of tooth extraction on stomatitis in cats: 95 cases (2000–2013). *J. Am. Vet. Med. Assoc.* 246, 654–660.
- Kornya, M.R. és mtsai (2014): Association between oral health status and retrovirus test results in cats. *J. Am. Vet. Med. Assoc.* 245, 916-22.
- Lavy, E. és mtsai (2002): Evaluation of doramectin for the treatment of experimental canine spirocercosis. *Vet. Parasitol.* 109, 65–73.

- Le Sueur, C. és mtsai (2010): Efficacy of a combination of imidacloprid 10 %/moxidectin 2.5 % spot-on (Advocate® for dogs) in the prevention of canine spirocercosis (*Spirocercus lupi*). Parasitol. Res. 107, 1463 – 1469.
- Lobetti, R. (2012): Successful resolution of oesophageal spirocercosis in 20 dogs following daily treatment with oral doramectin. Vet. J. 193, 277 – 278.
- Luskin, I.R. (2001): Endodontic decisions based on radiographic appearance. Clin. Tech. Small Anim. Pract. 16, 173-81.
- Mestrinho, L.A. és mtsai (2018): Oral and dental anomalies in purebred, brachycephalic Persian and exotic cats. J. Am. Vet. Med. Assoc. 253, 66-72.
- Psáder, R., Balogh, M., Pápa, K., Sterczer, Á., Lukács, Z., Harnos, A. (2017): Occurrence of *Spirocercus lupi* infection in Hungarian dogs referred for gastroscopy. Parasitol. Res. 116, 99-108.
- Quimby, J.M. és mtsai (2008): Evaluation of the association of Bartonella species, feline herpesvirus 1, feline calicivirus, feline leukemia virus and feline immunodeficiency virus with chronic feline gingivostomatitis. J. Feline Med. Surg. 10, 66-72.
- Quintavalla, F. és mtsai (2017): Sildenafil improves clinical signs and radiographic features in dogs with congenital idiopathic megaesophagus: a randomized controlled trial. Vet. Rec. 180, 404.
- Rolim, V.M. és mtsai (2017): Clinical, pathological, immunohistochemical and molecular characterization of feline chronic gingivostomatitis. J. Feline Med. Surg. 19, 403-409.
- Sarowitz, B.N. és mtsai (2017): Outcome and prognostic factors following curative-intent surgery for oral tumours in dogs: 234 cases (2004 to 2014) J. Small Anim. Pract. 58, 146–153.
- Szell, Z., Máthé, Á., Erdélyi, I., Deim, Z., Bende, Z., Varga, I. (2001): Spirocercosis és alariosis – két ritka helminthosis kutyákban. Rövid irodalmi áttekintés és két eset ismertetése. Magy. Állatorvosok Lapja 123, 421-428.
- Thomas, S. és mtsai (2017): Prevalence of feline calicivirus in cats with odontoclastic resorptive lesions and chronic gingivostomatitis. Res. Vet. Sci. 111, 124-126.
- Wahl, S.E. és mtsai (2015): The role of folate metabolism in orofacial development and clefting. Dev. Biol. 405, 108-22.
- Warnock, J.J. és mtsai (2003): Surgical management of cricopharyngeal dysphagia in dogs: 14 cases (1989-2001). J. Am. Vet. Med. Assoc. 223, 1462-8.
- Winer, J.N. és mtsai (2016): Therapeutic Management of Feline Chronic Gingivostomatitis: A systematic review of the literature. Front. Vet. Sci. 3, 54.

## **A GYOMOR BETEGSÉGEI**

Boillat, C.S. és mtsai (2010): Variability associated with repeated measurements of gastrointestinal tract motility in dogs obtained by use of a wireless motility capsule system and scintigraphy. *Am. J. Vet. Res.* 71, 903-908.

Leib, M.S. és Duncan, R.B. (2005): Diagnosing gastric helicobacter infections in dogs and cats. *Compend. Contin. Educ. Vet.* 27, 221-228.

Lorinson, D. és Bright, R.M. (1998): Long-term outcome of medical and surgical treatment of hiatal hernias in dogs and cats: 27 cases (1978-1996). *J. Am. Vet. Med. Assoc.* 213, 381-384.

Marolf, A.J. és mtsai (2015): Comparison of endoscopy and sonography findings in dogs and cats with histologically confirmed gastric neoplasia. *J. Small Anim. Pract.* 56, 339-44.

Nelson, O.L. és mtsai (2005): Gastric emptying as assessed by barium-impregnated polyethylene spheres in healthy dogs consuming a commercial kibble ration. *J. Am. Anim. Hosp. Assoc.* 37, 444-452.

Pietra, M. és mtsai (2003): Intermittent gastroesophageal intussusception in a dog: clinical features, radiographic and endoscopic findings, and surgical management. *Vet. Res. Commun.* 27, 783-786.

Reeve, E.J. és mtsai (2017): Documenting the prevalence of hiatal hernia and oesophageal abnormalities in brachycephalic dogs using fluoroscopy. *J. Small Anim. Pract.* 58, 703-708.

Shibly, S. és mtsai (2014): Acute gastroesophageal intussusception in a juvenile Australian Shepherd dog: endoscopic treatment and long-term follow-up. *BMC Vet. Res.* 7, 109.

Sivacolundhu, R.K. és mtsai (2002): Hiatal hernia controversies - a review of pathophysiology and treatment options. *Aust. Vet. J.* 80, 48-53.

Terragni, R. és mtsai (2014): Diagnostic imaging and endoscopic finding in dogs and cats with gastric tumors: a review. *Schweiz. Arch. Tierheilkd.* 156, 569-576.

## **A BELEK BETEGSÉGEI**

Aki, O. és mtsai (2011): A retrospective study in 21 Shiba dogs with chronic enteropathy. *J. Vet. Med. Sci.* 73, 1-5.

Allenspach, K. és mtsai (2007): Chronic enteropathies in dogs: evaluation of risk factors for negative outcome. *J. Vet. Intern. Med.* 21, 700-708.

AlShawaqfeh, M.K. és mtsai (2017): A dysbiosis index to assess microbial changes in fecal samples of dogs with chronic inflammatory enteropathy. *FEMS Microbiol. Ecol.* 93. doi: 10.1093/femsec/fix136.

Altreuther, G. és mtsai (2011): Efficacy of emodepside plus toltrazuril suspension (Procox®) oral suspension for dogs) against prepatent and patent infection with *Isospora canis* and *Isospora ohioensis*-complex in dogs. *Parasitol. Res.* 109, S9-20.

- Alves, M.E.M és mtsai (2018): Molecular detection of *Cryptosporidium* spp. and the occurrence of intestinal parasites in fecal samples of naturally infected dogs and cats. *Parasitol. Res.* 117, 3033-3038.
- Athanasίου, L.V. és mtsai (2017): Magnitude of reactive thrombocytosis and associated clinical conditions in dogs. *Vet. Rec.* 181, 267.
- Barko, P.C. és mtsai (2018): The gastrointestinal microbiome: A review. *J. Vet. Intern. Med.* 32, 9–25.
- Barrs, V.R. és Beatty, J.A. (2012): Feline alimentary lymphoma: 1. Classification, risk factors, clinical signs and non-invasive diagnostics. *J. Feline Med. Surg.* 14, 182-90.
- Barrs, V.R. és Beatty, J.A. (2012): Feline alimentary lymphoma: 2. Further diagnostics, therapy and prognosis. *J. Feline Med. Surg.* 14, 191-201.
- Barry, K.S. és mtsai (2017): Diagnostic usefulness of laparoscopy versus exploratory laparotomy for dogs with suspected gastrointestinal obstruction. *J. Am. Vet. Med. Assoc.* 251, 307-314.
- Battilani, M. és mtsai (2011): Genetic complexity and multiple infections with more Parvovirus species in naturally infected cats. *Vet. Res.* 42, 43.
- Berghoff, N. és Steiner, J.M. (2011): Laboratory tests for the diagnosis and management of chronic canine and feline enteropathies. *Vet. Clin. Small Anim.* 41, 311–328.
- Bertone, E.R. és mtsai (2002): Environmental tobacco smoke and risk of malignant lymphoma in pet cats. *Am. J. Epidemiol.* 156, 268-73.
- Bertoy, R.W. (2002): Megacolon in the cat. *Vet. Clin. North Am. Small Anim. Pract.* 32, 901-15.
- Blache, J.L. és mtsai (2011): Histoplasmosis. *Compend. Contin. Educ. Vet.* 33, E1-10.
- Bonfanti, U. és mtsai (2006): Diagnostic value of cytologic examination of gastrointestinal tract tumors in dogs and cats: 83 cases (2001-2004). *J. Am. Vet. Med. Assoc.* 229, 1130-1133.
- Breitschwerdt, E.B. (1992): Immunoproliferative enteropathy of basenjis. *Semin. Vet. Med. Surg. (Small Anim.)* 7, 153-61.
- Briscoe, K.A. és mtsai (2011): Histopathological and immunohistochemical evaluation of 53 cases of feline lymphoplasmacytic enteritis and low-grade alimentary lymphoma. *J. Comp. Path.* 145, 187-198.
- Buonavoglia, C. és mtsai (2006): Canine coronavirus highly pathogenic for dogs. *Emerg. Inf. Dis.* 12, 492–494.
- Burchell, R.K. és mtsai (2014): The central role of chloride in the metabolic acid-base changes in canine parvoviral enteritis. *Vet. J.* 200, 152-156.
- Byers, C.G. és mtsai (2006): Feline idiopathic megacolon. *Compend. Contin. Educ. Vet.* 28,

658-665.

Cain, C.L. (2019): Canine perianal fistulas: clinical presentation, pathogenesis, and management. *Vet. Clin. North Am. Small Anim. Pract.* 49, 53-65.

Castro, T.X. és mtsai (2013): Clinical, hematological, and biochemical findings in puppies with coronavirus and parvovirus enteritis. *Can. Vet. J.* 54, 885–888.

Chaban, B. és mtsai (2009): Development of cpn60-based real-time quantitative PCR assays for the detection of 14 *Campylobacter* species and application to screening of canine fecal samples. *Appl. Environ. Microbiol.* 75, 3055-3061.

Ciasca, T.C. és mtsai (2013): Does measurement of small intestinal diameter increase diagnostic accuracy of radiography in dogs with suspected intestinal obstruction? *Vet. Radiol. Ultrasound* 54, 207-11.

Citi, S. és mtsai (2013): Micronodular ultrasound lesions in the colonic submucosa of 42 dogs and 14 cats. *Vet. Radiol. Ultrasound* 54, 646-51.

Coleman, K.A. és mtsai (2014): Endoscopic mucosal resection and snare polypectomy for treatment of a colorectal polypoid. *J. Am. Vet. Med. Assoc.* 244, 1435–1440.

Craven, M. és mtsai (2010): Antimicrobial resistance impacts clinical outcome of granulomatous colitis in Boxer dogs. *J. Vet. Intern. Med.* 24, 819-824.

Craven, M. és mtsai (2011): Granulomatous colitis of boxer dogs. *Vet. Clin. North Am. Small Anim. Pract.* 41, 433-445.

Da Silva, A.S. és mtsai (2011): Secnidazole for the treatment of giardiasis in naturally infected cats. *Parasitol. Int.* 60, 429-432.

Dandrieux, J.R.S és mtsai (2013): Comparison of a chlorambucil-prednisolone combination with an azathioprine-prednisolone combination for treatment of chronic enteropathy with concurrent protein-losing enteropathy in dogs: 27 cases (2007-2010). *J. Am. Vet. Med. Assoc.* 242, 1705-1714.

Dandrieux, J.R.S. (2016): Inflammatory bowel disease versus chronic enteropathy in dogs: are they one and the same? *J. Small Anim. Pract.* 57, 589–599.

Daniaux, L.A. és mtsai (2014): Ultrasonographic thickening of the muscularis propria in feline small intestinal small cell T-cell lymphoma and inflammatory bowel disease. *Feline Med. Surg.* 16, 89–98.

Day, M.J. és mtsai (2016): WSAVA Guidelines for the vaccination of dogs and cats. *J. Small Anim. Pract.* 57, 4-8.

de Mari, K. és mtsai (2003): Treatment of canine parvoviral enteritis with interferon-omega in a placebo-controlled field trial. *Vet. Rec.* 152, 105-108.

- Decaro, N. és mtsai (2008): Experimental infection of dogs with a novel strain of canine coronavirus causing systemic disease and lymphopenia, *Vet. Microbiol.* 128, 253-260.
- Dossin, O. és Lavoué, R. (2011): Protein-losing enteropathies in dogs. *Vet. Clin. Small Anim.* 41, 399–418.
- Drost, W.T. és mtsai (2016): Comparison of computed tomography and abdominal radiography for detection of canine mechanical intestinal obstruction. *Vet. Radiol Ultrasound.* 57, 366-75.
- Endo, S. és mtsai (2010): The first case of feline *Prototheca wickerhamii* infection in Japan. *J. Vet. Med. Sci.* 72, 1351-3.
- Ford, R.B. és mtsai (2017): AAHA canine vaccination guidelines. *J. Am. Anim. Hosp. Assoc.* 53, 243-251.
- Garden, O.A. és mtsai (2000): Inheritance of gluten-sensitive enteropathy in Irish Setters. *Am. J. Vet. Res.* 61, 462-8.
- Gaschen, F.P. és Merchant, S.R. (2016): Adverse food reactions in dogs and cats. *Vet. Clin. North Am. Small Anim. Pract.* 41, 361-379.
- Gaschen, L. (2011): Ultrasonography of small intestinal inflammatory and neoplastic diseases in dogs and cats. *Vet. Clin. Small Anim.* 41, 329–344.
- Gieger, T. (2011): Alimentary lymphoma in cats and dogs. *Vet. Clin. North Am. Small Anim. Pract.* 41, 419-432.
- Goddard, A. és mtsai (2008): Prognostic usefulness of blood leukocyte changes in canine parvoviral enteritis. *J. Vet. Intern. Med.* 22, 309–316.
- Gookin, J.L. és mtsai (2006): Efficacy of ronidazole for treatment of feline *Tritrichomonas foetus* infection. *J. Vet. Intern. Med.* 20, 536–543.
- Gookin, J.L. és mtsai (2010): Documentation of in vivo and in vitro aerobic resistance of feline *Tritrichomonas foetus* isolates to ronidazole. *J. Vet. Intern. Med.* 24, 1003–1007.
- Grützner, N. és mtsai (2015): Inflammatory, immunological, and intestinal disease biomarkers in Chinese Shar-Pei dogs with marked hypcobalaminemia. *J. Vet. Diagn. Invest.* 27, 31-40.
- Gupta, V. és mtsai (2017): Polymerase spiral reaction (PSR): a novel, visual isothermal amplification method for detection of canine parvovirus 2 genomic DNA. *Arch. Virol.* 162, 1995-2001.
- Hall, E.J. (2011): Antibiotic-responsive diarrhea in small animals. *Vet. Clin. Small Anim.* 41, 273–286.
- Hardie, R.J. és mtsai (2005): Cyclosporine treatment of anal furunculosis in 26 dogs. *J. Small Anim. Pract.* 46, 3-9.



- Harey, J.I. és mtsai (2014): Food-specific serum IgE and IgG reactivity in dogs with and without skin disease: lack of correlation between laboratories. *Vet. Dermatol.* 25, 447–e70.
- Heilmann, R.M. és mtsai (2018): Association of fecal calprotectin concentrations with disease severity, response to treatment, and other biomarkers in dogs with chronic inflammatory enteropathies. *J. Vet. Intern. Med.* 32, 679–692.
- Heilmann, R.M. és Steiner, J.M. (2018): Clinical utility of currently available biomarkers in inflammatory enteropathies of dogs. *J. Vet. Intern. Med.* 32, 1495–1508.
- Hidalgo, A. és mtsai (2010): Prevalence of *Brachyspira pilosicoli* and "*Brachyspira canis*" in dogs and their association with diarrhoea. *Vet. Microbiol.* 146, 356–360.
- Hiroki, O. és mtsai (2013): The characteristics of short- and long-term surviving Shiba dogs with chronic enteropathies and the risk factors for poor outcome. *Acta. Vet. Scand.* 55, 32.
- Huth, N. és mtsai (2015): *Prototheca zopfii* Genotype 2-induced Nasal Dermatitis in a Cat. *J. Comp. Pathol.* 152, 287–90.
- Ikeda, Y. és mtsai (2002): Feline host range of canine parvovirus: recent emergence of new antigenic types in cats. *Emerg. Infect. Dis.* 8, 341–346.
- Jergens, A.E. és mtsai (2003): A scoring index for disease activity in canine inflammatory bowel disease. *J. Vet. Intern. Med.* 17, 291–297.
- Jergens, A.E. és mtsai (2010): A clinical index for disease activity in cats with chronic enteropathy. *J. Vet. Intern. Med.* 24, 1027–1033.
- Kalli, I. és mtsai (2010): Factors affecting the occurrence, duration of hospitalization and final outcome in canine parvovirus infection. *Res. Vet. Sci.* 89, 174–178.
- Kempf, J. és mtsai (2017): Effects of 6 weeks of parenteral cobalamin supplementation on clinical and biochemical variables in cats with gastrointestinal disease. *J. Vet. Intern. Med.* 31, 1664–1672.
- Kilian, E. és mtsai (2018): Long-term effects of canine parvovirus infection in dogs. *PLoS ONE* 13, e0192198.
- Kilpinen, S. és mtsai (2014): Efficacy of two low-dose oral tylosin regimens in controlling the relapse of diarrhea in dogs with tylosin-responsive diarrhea: a prospective, single-blinded, two-arm parallel, clinical field trial. *Acta. Vet. Scand.* 56, 43.
- Kleinschmidt, S. és mtsai (2010): Chronic inflammatory and non-inflammatory diseases of the gastrointestinal tract in cats: diagnostic advantages of full-thickness intestinal and extraintestinal biopsies. *J. Feline Med. Surg.* 12, 97–103.
- Kocaturk, M. és mtsai (2015): Inflammatory and oxidative biomarkers of disease severity in dogs with parvoviral enteritis. *J. Small Anim. Pract.* 56, 119–124.

- Koji, S. és mtsai (2019): Oral faecal microbiota transplantation for the treatment of *Clostridium difficile*-associated diarrhoea in a dog: a case report. *BMC Vet. Res.* 15, 11.
- Kruse, B.D. és mtsai (2010): Prognostic factors in cats with feline panleukopenia. *J. Vet. Intern. Med.* 24, 1271-1276.
- Lakatos, B., Demeter, Z., Palade, E.A., Mari, V., Szilasi, A., Decaro, N., Rusvai, M. (2013): A kutyák pantropikus koronavírus fertőzésének kimutatása Magyarországon, *Magy. Állatorvosok Lapja.* 135, 41-47.
- Lecoindre, P. és Gaschen, F.P. (2011): Chronic idiopathic large bowel diarrhea in the dog. *Vet. Clin. North Am. Small Anim. Pract.* 41, 447-456.
- Leib, M.S. (2000): Treatment of chronic idiopathic large-bowel diarrhea in dogs with a highly digestible diet and soluble fiber: a retrospective review of 37 cases. *J. Vet. Intern. Med.* 14, 27-32.
- Leipig-Rudolph, M. és mtsai (2018): Intestinal lesions in dogs with acute hemorrhagic diarrhea syndrome associated with netF-positive *Clostridium perfringens* type A. *J. Vet. Diagn. Invest.* 30, 495-503.
- Littman, M.P. és mtsai (2000): Familial protein-losing enteropathy and protein-losing nephropathy in Soft Coated Wheaten Terriers: 222 cases (1983-1997). *J. Vet. Intern. Med.* 14, 68-80.
- Manners, H.K. és mtsai (1998): Characterization of intestinal morphologic, biochemical, and ultrastructural features in gluten-sensitive Irish Setters during controlled oral gluten challenge exposure after weaning. *Am. J. Vet. Res.* 59, 1435-40.
- Marconato, L. és mtsai (2009): Association between waste management and cancer in companion animals. *J. Vet. Intern. Med.* 23, 564-9.
- Marcovich, J.E. és mtsai (2012): Effects of canine parvovirus strain variations on diagnostic test results and clinical management of enteritis in dogs. *J. Am. Vet. Med. Assoc.* 241, 66–72.
- Marks, S.L. és mtsai (2011): Enteropathogenic bacteria in dogs and cats: diagnosis, epidemiology, treatment, and control. *J. Vet. Intern. Med.* 25, 1195-2008.
- Marks, S.L. és mtsai (2018): ACVIM consensus statement: Support for rational administration of gastrointestinal protectants to dogs and cats. *J. Vet. Intern. Med.* 1–18.
- Maunder, C.L. és mtsai (2016): *Campylobacter* species and neutrophilic inflammatory bowel disease in cats. *J. Vet. Intern. Med.* 30, 996–1001.
- McClure, V. és mtsai (2013): Evaluation of the use of serum C-reactive protein concentration to predict outcome in puppies infected with canine parvovirus. *J. Am. Vet. Med. Assoc.* 243, 361–366.
- Mila, H. és mtsai (2017): Natural and artificial hyperimmune solutions: Impact on health in puppies. *Reprod. Domest. Anim.* 52, 163-169.

- Mohan, R.J. és mtsai (2010): Isolation, molecular characterization and phylogenetic analysis of canine parvovirus. *Infect. Genet. Evol.* 10, 1237–1241.
- Mohr, A.J. és mtsai (2003): Effect of early enteral nutrition on intestinal permeability, intestinal protein loss, and outcome in dogs with severe parvoviral enteritis. *J. Vet. Intern. Med.* 17, 791-798.
- Moron-Soto, M. és mtsai (2017): Efficacy of nitazoxanide to treat natural *Giardia* infections in dogs. *Parasit. Vectors.* 10, 52.
- Mueller, R.S. és mtsai (2016): Critically appraised topic on adverse food reactions of companion animals (2): Common food allergen sources in dogs and cats. *BMC Vet. Res.* 12, 9.
- Murphy, M. és Rollins, A.W. (2018): Nutrition matters. Grain-free diets – good or bad? *Veterinary Focus*, 3, 41.
- Mylonakis, M.E. és mtsai (2016): Canine parvoviral enteritis: an update on the clinical diagnosis, treatment, and prevention. *Vet. Med.* 7, 91–100.
- Nakamura, K. és mtsai (2001): Pathogenic potential of canine parvovirus types 2a and 2c in domestic cats. *Clin. Diagn. Lab. Immunol.* 8, 663–668.
- Nakanishi, H. és mtsai (2019): Prevalence of microorganisms associated with feline gingivostomatitis. *J. Feline Med. Surg.* 21, 103-108.
- Neel, J.A. és mtsai (2012): Thrombocytosis: a retrospective study of 165 dogs. *Vet. Clin. Pathol.* 41, 216-222.
- Nemeth, T., Solymosi, N., Balka, G. (2008): Long-term results of subtotal colectomy for acquired hypertrophic megacolon in eight dogs. *J. Small Anim. Pract.* 49, 618-24.
- Norsworthy, G.D. és mtsai (2013): Diagnosis of chronic small bowel disease in cats: 100 cases (2008–2012). *J. Am. Vet. Med. Assoc.* 243, 1455–1461.
- Okanishi, H. és mtsai (2014): The clinical efficacy of dietary fat restriction in treatment of dogs with intestinal lymphangiectasia. *J. Vet. Intern. Med.* 28, 809-817.
- Otoni, C.C. és mtsai (2018): Serologic and fecal markers to predict response to induction therapy in dogs with idiopathic inflammatory bowel disease. *J. Vet. Intern. Med.* 32, 999–1008.
- Patsikas, M.N. és mtsai (2005): Color Doppler ultrasonography in prediction of the reducibility of intussuscepted bowel in 15 young dogs. *Vet. Radiol. Ultrasound.* 46, 313-316.
- Pereira, D.I. és mtsai (2013): Canine gastrointestinal pythiosis treatment by combined antifungal and immunotherapy and review of published studies. *Mycopathologia.* 176, 309-315.
- Pereira, G.Q. és mtsai (2018): Fecal microbiota transplantation in puppies with canine

parvovirus infection. *J. Vet. Intern. Med.* 32, 707–711.

Pieper, J. és McKay, L. (2011): Perianal fistulas. *Compend. Contin. Educ. Vet.* 33, E4.

Porporato, F. és mtsai (2018): Survival estimates and outcome predictors for shelter cats with feline panleukopenia virus infection. *J. Am. Vet. Med. Assoc.* 253, 188-195.

Potanas, C.P. és mtsai (2015): Surgical excision of anal sac apocrine gland adenocarcinomas with and without adjunctive chemotherapy in dogs: 42 cases (2005-2011). *J. Am. Vet. Med. Assoc.* 246, 877-884.

Rakich, P.M. és mtsai (2005): Gastrointestinal pythiosis in two cats. *J. Vet. Diagn. Invest.* 17, 262-269.

Rankin, B.A. és mtsai (2011): Enteropathogenic bacteria in dogs and cats: diagnosis, epidemiology, treatment, and control. *ACVIM Consensus Statement. J. Vet. Intern. Med.* 25, 1195–1208.

Rossi, M. és mtsai (2008): Occurrence and species level diagnostics of *Campylobacter* spp., enteric *Helicobacter* spp. and *Anaerobiospirillum* spp. in healthy and diarrheic dogs and cats. *Vet. Microbiol.* 129, 304-314.

Rudinsky, A.J. (2018): Dietary considerations for dogs with chronic enteropathies. *Veterinary Focus, Nutrition matters.* 28, 24.

Sabattini, S. és mtsai (2016): Differentiating feline inflammatory bowel disease from alimentary lymphoma in duodenal endoscopic biopsies. *J. Small Anim. Pract.* 57, 396-401.

Sarpong, K.J. és mtsai (2017): Evaluation of mortality rate and predictors of outcome in dogs receiving outpatient treatment for parvoviral enteritis. *J. Am. Vet. Med. A.* 251, 1035-1041.

Schoeman, J.P. és mtsai (2007): Serum cortisol and thyroxine concentrations as predictors of death in critically ill puppies with parvoviral diarrhea. *J. Am. Vet. Med. Assoc.* 231, 1534–1539.

Scott, K.D. és mtsai (2011): Utility of endoscopic biopsies of the duodenum and ileum for diagnosis of inflammatory bowel disease and small cell lymphoma in cats. *J. Vet. Intern. Med.* 25, 1253–1257.

Sharma, A. és mtsai (2011): Comparison of radiography and ultrasonography for diagnosing small-intestinal mechanical obstruction in vomiting dogs. *Vet. Radiol. Ultrasound.* 52, 248-55.

Simmerson, S.M. és mtsai (2014): Clinical features, intestinal histopathology, and outcome in protein-losing enteropathy in Yorkshire Terrier dogs. *J. Vet. Intern. Med.* 28, 331-337.

Simpson, K.W. és Jergens, A. E. (2011): Pitfalls and progress in the diagnosis and management of canine inflammatory bowel disease. *Vet. Clin. Small Anim.* 41, 381–398.

Simpson, K.W. és mtsai (2006): Adherent and invasive *Escherichia coli* is associated with granulomatous colitis in boxer dogs. *Infect. Immun.* 74, 4778-4792.

- Sindern, N. és mtsai (2019): Prevalence of *Clostridium perfringens* netE and netF toxin genes in the feces of dogs with acute hemorrhagic diarrhea syndrome. *J. Vet. Intern. Med.* 33, 100-105.
- Slovak, J.E. és mtsai (2014): Endoscopic assessment of the duodenum in dogs with inflammatory bowel disease. *J. Vet. Intern. Med.* 28, 1442-1446.
- Slovak, J.E. és mtsai (2015): Development and validation of an endoscopic activity score for canine inflammatory bowel disease. *Vet. J.* 203, 290-295.
- Stanley, B.J. és Hauptman, J.G. (2009): Long-term prospective evaluation of topically applied 0.1% tacrolimus ointment for treatment of perianal sinuses in dogs. *J. Am. Vet. Med. Assoc.* 235, 397-404.
- Stenner, V.J. és mtsai (2007): Protothecosis in 17 Australian dogs and a review of the canine literature. *Med. Mycol.* 45, 249-266.
- Streck, A.F. és mtsai (2013): An updated TaqMan real-time PCR for canine and feline parvoviruses. *J. Virol. Methods.* 193, 6-8.
- Štrkolcová, G. és mtsai (2017): The roundworm *Strongyloides stercoralis* in children, dogs, and soil inside and outside a segregated settlement in Eastern Slovakia: frequent but hardly detectable parasite. *Parasitol. Res.* 116, 891-900.
- Stuetzer, B. és Hartmann, K. (2014): Feline parvovirus infection and associated diseases. *Vet. J.* 201, 150-155.
- Suchodolski, J.S. (2011): Intestinal microbiota of dogs and cats: a bigger world than we thought. *Vet. Clin. Small Anim.* 41, 261–272.
- Suchodolski, J.S. (2016): Diagnosis and interpretation of intestinal dysbiosis in dogs and cats. *Vet. J.* 215, 30-37.
- Sugita, K. és mtsai (2019): Oral faecal microbiota transplantation for the treatment of *Clostridium difficile*-associated diarrhoea in a dog: a case report. *BMC Vet. Res.* 15, 11.
- Toresson, L. és mtsai (2016): Oral cobalamin supplementation in dogs with chronic enteropathies and hypcobalaminemia. *J. Vet. Intern. Med.* 30, 101-107.
- Trevail, T. és mtsai (2011): Radiographic diameter of the colon in normal and constipated cats and in cats with megacolon. *Vet. Radiol. Ultrasound.* 52, 516-520.
- Uehlinger, F.D. és mtsai (2017): Comparison of five diagnostic tests for *Giardia duodenalis* in fecal samples from young dogs. *Vet. Parasitol.* 244, 91-96.
- Unterer, S. és mtsai (2014): Endoscopically visualized lesions, histologic findings, and bacterial invasion in the gastrointestinal mucosa of dogs with acute hemorrhagic diarrhea syndrome. *J. Vet. Intern. Med.* 28, 52–58.
- Venn, E.C. és mtsai (2017): Evaluation of an outpatient protocol in the treatment of canine parvoviral enteritis. *J. Vet. Emerg. Crit. Care.* 27, 52-65.

- Vince, A.R. és mtsai (2014): Protothecosis in a dog. *Can. Vet. J.* 55, 950-954.
- Volkman, M. és mtsai (2017): Chronic diarrhea in dogs - retrospective study in 136 cases. *J. Vet. Intern. Med.* 31, 1043-1055.
- Washabau, R.J. és mtsai (2010): Endoscopic, biopsy, and histopathologic guidelines for the evaluation of gastrointestinal inflammation in companion animals. *J. Vet. Intern. Med.* 24, 10-26.
- Wennogle, S.A. és mtsai (2017): Histopathologic characteristics of intestinal biopsy samples from dogs with chronic inflammatory enteropathy with and without hypoalbuminemia. *J. Vet. Intern. Med.* 31, 371-376.
- Whitehead, J. és mtsai (2015): Seizures associated with hypocalcemia in a yorkshire terrier with protein-losing enteropathy. *J. Am. Anim. Hosp. Assoc.* 51, 380-384.
- Willard, M.D. (2012): Alimentary neoplasia in geriatric dogs and cats. *Vet. Clin. North Am. Small Anim. Pract.* 42, 693-706.
- Williams, L.E. és mtsai (2003): Carcinoma of the apocrine glands of the anal sac in dogs: 113 cases (1985-1995). *J. Am. Vet. Med. Assoc.* 223, 825-831.
- Winter, M.D. és mtsai (2017): Ultrasonographic and computed tomographic characterization and localization of suspected mechanical gastrointestinal obstruction in dogs. *J. Am. Vet. Med. Assoc.* 251, 315-321.
- Yalcin, E. és Keser, G.O. (2017): Comparative efficacy of metoclopramide, ondansetron and maropitant in preventing parvoviral enteritis-induced emesis in dogs. *J. Vet. Pharmacol. Ther.* 40, 599-603.
- Zwingerberger, A.L. és mtsai (2010): Ultrasonographic evaluation of the muscularis propria in cats with diffuse small intestinal lymphoma or inflammatory bowel disease. *J. Vet. Intern. Med.* 24, 289-292.